

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8735	(362/157,200,202,205,208,276,231,394,395,362,800).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 21:12
L2	4484	@ad<"20031209" and I1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:12
L3	12098	TPS same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:13
L4	2013	I1 and flashlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:15
L5	23456	momentary with switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:14
L6	479	I5 and flashlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:14
L7	257	(bright\$4 intensity) and I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:14
L8	142	momentary same switch same (touch near5 sensitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:15

## EAST Search History

L9	9	I8 and flashlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:17
L10	314246	(depressing depressed pressing pressed actuate actuated) same (released releasing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:16
L11	37751	(momentary (touch near5 sensitive)) same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:17
L12	144	I10 and I11 and flashlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:17
L13	30	(bright\$4 intensity) and (sequential\$2 increment consecutive\$2) and I12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:18
L14	84	flashlight and (diode LED) and (button with intensity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:20
L15	120	flashlight and (diode LED) and (button actuator switch) with (dimmer rheostat)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:21
L16	1165	flashlight and (diode LED) and (button actuator switch) same (level states sequence sequential increment) same (bright\$4 power intensity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:21

## EAST Search History

L17	1447968	("3" three) with (contact terminals)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:22
L18	397	I16 and I17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 21:30
L19	3	flashlight and (push-button) and momentary and sequence and state and brightness and controller and (power with level) and inputs and outputs and connections	US-PGPUB	OR	ON	2008/01/06 21:36
L20	1	flashlight and momentary and (increment same sequence same state) and brightness and controller and (different same amount same power) and (input with contact) and (output with contacts) and (contact with switch)	US-PGPUB	OR	ON	2008/01/06 21:40
L21	1	flashlight and momentary and (increment\$3 same sequence same state) and brightness and (off with (condition state)) and (axially-movable (axial adj movement)) and (user same finger) and (internal with rotatable with element) and switch	US-PGPUB	OR	ON	2008/01/06 21:44